Steven L. Beshear Governor

Leonard K. Peters Secretary Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong Chairman

James W. Gardner Vice Chairman

Charles R. Borders Commissioner

November 2, 2009

Mr. Scott A. Hoover Verizon Wireless c/o Jester, Jones, Schifer Architects, LTD 355 East Center Street, Suite 200 Marion, Ohio 43302

RE: Verizon Wireless Cellular Site

350 Frontage Road Grayson, Carter County, Kentucky

PSC Case No. 2007-00334

Mr. Hoover:

On October 29, 2009, the Kentucky Public Service Commission ("Commission") received a letter from your office indicating that your client, Cellco Partnership d/b/a Verizon Wireless (hereinafter "Verizon Wireless"), intends to modify the design of a cellular tower located in Grayson, Kentucky. The Commission issued a Certificate of Public Convenience and Necessity ("CPCN") for this tower on September 7, 2007 in Case Number 2007-00334.

In the letter, you stated that the tower has been constructed and includes a total of twelve (12) panel antennas at the centerline of 300 feet. Your office is requesting a statement from the Commission that Verizon Wireless will not be required to obtain a permit or further approval from the Commission to remove six (6) of the panels so that they may be replaced with upgraded panel antennas.

Based on the information provided within the letter from your office, the Commission finds that Verizon Wireless will not be required to seek a new CPCN or any approval or permit prior to performing the stated changes to the antennas.

Should you have additional questions on this matter, you may contact Commission Staff Attorney Tiffany Bowman at (502) 564-3940, ext. 465 or Commission Staff Engineer Eric Bowman at (502) 564-3940, ext. 440.



Mr. Scott A. Hoover November 2, 2009 Page 2 of 2

Sincerely,

Executive Director

cc:

Main Case File Parties of Record

JD/tjb

